# winterhalter

# SAFETY DATA SHEET WINTERHALTER F320 UNIVERSAL DETERGENT

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name WINTERHALTER F320 UNIVERSAL DETERGENT

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.

## 1.3. Details of the supplier of the safety data sheet

Supplier Winterhalter Ltd

Winterhalter House Roebuck Way Knowlhill Milton Keynes MK5 8WH

Tel: 01908 359000 Fax: 01908 359060

chemicals@winterhalter.co.uk

## 1.4. Emergency telephone number

Emergency telephone Emergency contact number (9am to 5pm Monday to Friday excluding bank holidays): 01295

251721 ask for technical, quoting the product name.

Emergency Action: In the event of a medical enquiry involving this product outside of these hours, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) again quoting product name and where applicable present this

MSDS to the medical professional.

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314

Environmental hazards Not Classified

Classification (67/548/EEC or C;R34.

1999/45/EC)

## 2.2. Label elements

#### **Pictogram**



Signal word Danger

#### WINTERHALTER F320 UNIVERSAL DETERGENT

Hazard statements H314 Causes severe skin burns and eye damage.

**Precautionary statements** P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains DISODIUM METASILICATE

Supplementary precautionary

statements

P405 Store locked up.

2.3. Other hazards

Other Hazards None

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

DISODIUM METASILICATE 5-10%

CAS number: 10213-79-3 EC number: 229-912-9 REACH registration number: 01-

2119449811-37-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1B - H314 C;R34. Xi;R37.

Eye Dam. 1 - H318 STOT SE 3 - H335

SODIUM HYDROXIDE <1%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1A - H314 C;R35

Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**Ingestion** Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

#### WINTERHALTER F320 UNIVERSAL DETERGENT

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

**Ingestion** May cause irritation.

Skin contact May cause skin irritation.

Eye contact May cause eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

#### 5.3. Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet.

## 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

## 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## WINTERHALTER F320 UNIVERSAL DETERGENT

## SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

#### Occupational exposure limits

#### **SODIUM HYDROXIDE**

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

## 8.2. Exposure controls

#### Protective equipment





Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical

splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves

should comply with European Standard EN374.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes

contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat,

drink or smoke.

## **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour Characteristic.

Initial boiling point and range 100°C @ 760 mm Hg

Flash point NA°C

Relative density 1.1920 @ 20°C

Solubility(ies) Soluble in water.

Viscosity NA @ °C

**Comments** Information given is applicable to the product as supplied.

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

#### WINTERHALTER F320 UNIVERSAL DETERGENT

**Reactivity**No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

products

10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

position

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Liquid may irritate skin.

**Eye contact** Irritating to eyes.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

## 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

assessment

Other adverse effects None known.

#### SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

## WINTERHALTER F320 UNIVERSAL DETERGENT

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## SECTION 14: Transport information

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

Air transport notes Not classified.

14.1. UN number

Not applicable.

UN No. (ADR/RID) 1719
UN No. (IMDG) 1719
UN No. (ICAO) 1719

## 14.2. UN proper shipping name

Not applicable.

Proper shipping name

, DD (DID)

CAUSTIC ALKALI LIQUID, N.O.S.

(ADR/RID)

Proper shipping name (IMDG) CAUSTIC ALKALI LIQUID, N.O.S. Proper shipping name (ICAO) CAUSTIC ALKALI LIQUID, N.O.S.

**Proper shipping name (ADN)** CAUSTIC ALKALI LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

Not applicable.

ADR/RID class 8
ADR/RID label 8
IMDG class 8
ICAO class/division 8

Transport labels



#### 14.4. Packing group

Not applicable.

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

## WINTERHALTER F320 UNIVERSAL DETERGENT

## 14.6. Special precautions for user

Not applicable.

EmS F-A, S-B

Emergency Action Code 2R

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations

Approved Classification and Labelling Guide (Sixth edition) L131.

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date 28/09/2017

Revision 12

Supersedes date 11/05/2017

SDS number 21027

Risk phrases in full R34 Causes burns.

R35 Causes severe burns.

R37 Irritating to respiratory system.

Hazard statements in full H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.